
The default **First Article > Multiple Parts** reports that come with QC-CALC only show 5 parts. This White Paper will give step by step instructions for designing your own custom template and adding a  $6^{th}$  part column to one of the First Article – Multiple Parts standard templates.

### **The Report Designer**

The directions shown here will walk you through adding a column for Part 6 in the report and shrinking the remaining columns to make enough room on the page for an additional column. This is a lengthy process, but relatively simple to accomplish.

1. From QC-CALC Real-Time choose the Report > Design Template menu.



- 2. Right-click the FiveLand.FPF template from the list of files that appears and make a copy of it.
- 3. Select the copy and click **Open**.

4. The Report Designer now appears on the screen.

Designing the Template - C:\Users\Pub	lic\Prolink\QC-CALC 4.0\Template\Defa	ault\FrveLand.fpf	
File Start Insert Project			~ <b>0</b>
$ T \setminus \Box \subset$			
Text Line Rectangle Ellip			
		······································	
	Objects		
Objects		X 0 1.0 2.0 3.0 4.0 5 6.0 7.0 8.0 9.0 10 [n]	Variables/Fields X
EXX咀店 ↑ ↓ 餡		•	Search Variables/Fields
✓ □ Project		August 28, 2020	✓
Gray Box		Five Piece (1-5 Piece) August 28, 3220 12-49-10 PM	> 📹 LL 🔳
- A Title Box		2 Prolink Software	> A Assignable_Causes
<ul> <li>A Date Time Box</li> </ul>			> 🕃 Can_Have_Bonus
A Data Box 1		Tri-Cherk All Zeits All Characteristics Char Characteristic Label Nominal U.SL. LSL. Part 1 Part 2 Part 3 Part 4 Part 5 Rej Rec. 1 Rec. 2 Rec. N/A Rec. N/A Rec. N/A	> A Char_Label
- A Page Box			Char_Number     A Char_Source
- A Data Box 3		Position Probe 2 1 Position Probe 2 0.0000 0.0100 - 0.0128 2 2	> A Corrective Actions
✓ A Data Box 2 ★ = Table 1		Bonus 0.0000 0.0000 0.0000	> A Extra Information
A Company Name		Reads	> A File Name
[Picture]		Asiar(s)	> B MALCL
A Data Box 3			> 🗎 MA_UCL
			> 🛱 Max
			> 🗎 Mean
			> - 🗎 Min
Objects Layers Preview		N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	> 🗎 Minus_Tolerance
			> D Minus_Tolerance_Missing
Properties		× ikiti	> 🗎 Nominal
🔠 🛓 t+3 🌟 Search Properties			> A Notes
4 General Settings			> I Part_01_Bonus > I Part_01_Edited
	Five Piece First Article		> Part_01_Excluded
Active Design Layout			> A Part_01_Excluded
Number of Issues	1		> A Part_01_Num_Trace_01
Minimum Page Count	1		> Part_01_Num_Trace_02
	combit		> art_01_Num_Trace_03
Transition Effect for Slideshow Mode		1 200 200 200 200 200 200 200 200 200 20	> - Part_01_Num_Trace_04
Mail Parameter			> 🗎 Part_01_Num_Trace_05
Fax Parameter		(100) (12)	> B Part_01_Num_Trace_06
		= K	> B Part_01_Num_Trace_07
		Page 1 of 40+	> Part_01_Num_Trace_08
General Settings			> - Part_01_Num_Trace_09 > - Part_01_Num_Trace_10
ocheria occurgo			> I Part_01_Num_trace_10
		Layout Layout Preview Preview	> A Part_01_Num_Trace_12
		Layout Layout Preview Preview	Distant Trans
2.648, 8.812	-nothing selected-		100% 🕄 🦳 🗇 👔

#### **Making more Space**

- 1. Double click on the table and the **Table Contents** window will appear.
- 2. Choose the **Data Line** tab, then click on the "Label" line in the **Line** area. On the right side of the screen change the **Width** to "1.95."

🖌 Header Line 🖌 Data Line 🖌 Foot	er Line 🖌 Group Head	er Group Footer
<ul> <li>E × &amp; E </li> <li>Line Definition 1</li> <li>A if(@User03, "'.fstr\$(Char Number, #####"))</li> <li>A if(@User03, "'.fstr\$(Char Number, #####"))</li> <li>A if(Upper\$(Char_Label, "?")=-1, Char_Label, Left\$(C</li> <li>A ""</li> <li>A if(Upper\$(Char_Source)="P/F", "', fstr\$(Nomina</li> <li>A if(Upper\$(Char_Source)="P/F", "', Cond(Plus_Tc</li> <li>A if(Part_01_Used, # if(Part_01_Excluded, "', # if(U</li> <li>A if(Part_02_Used, # if(Part_02_Excluded, "', # if(U</li> <li>A if(Part_03_Used, # if(Part_03_Excluded, "', # if(U</li> <li>A if(Part_03_Used, # if(Part_05_Excluded, "', # if(U)</li> <li>A if(Part_05_Used, # if(Part_05_Excluded, "', # if(U)</li> <li>A if(Part_05_Ised, # if(Part_05_Excluded, "', # if(U)</li> <li>A if(@user03,fstr\$(Char_Number, '#####'), " ))</li> </ul>	Image: Search Price         Fixed Height         ✓         Frame         Default         Layout         Left         > Top         > Right         > Bottom         Justified         Line Spacing         Vertical Alianment         Width	Not Defined  False [Horizontal Priority] No 0.0 pt Top 1.95 Var
	Width.	OK Cancel

3. Next, use the Ctrl key to click and highlight the "if(Used\_Part\_01..." through "if(Used\_Part\_05..." in the **Line** area and set the **Width** for all 5 lines to "0.75."

Table Contents	×
✓ Header Line ✓ Data Line ✓ Footer Line ✓ Group Header	Group Footer
🔊 🐔 👻 🖂 🔀 🛍 🖷 🕆 🔸 🔡 🛃 🗧 Search Prope	erties 🔻 🐧
V 📑 Line Definition 1	Not Defined
A if(StrPos(Char_Label,"?")=-1,Char_Label,Left\$(C Default	False
Layout	[Horizontal Priority]
A if(Upper\$(Char_Source)="P/F"," ",Cond(Minus_	
A "" ▷ Bottom	
A If(Part_01_Used,# if(Part_01_Excluded,"", # if(U	No
A If(Part_02_Used,# if(Part_02_Excluded, "", # if(L Line Spacing	0.0 pt
A         If(Part_03_Used, ¤ if(Part_03_Excluded, "', ¤ if(U         Vertical Alignment           A         If(Part_04_Used, ¤ if(Part_04_Excluded, "', ¤ if(U)         Vertical Alignment	Тор
A If(Part_05_Used,# if(Part_05_Excluded, ",# if(0) Width	0.75 √a
A Cond(Plus_Tolerance_Missing And Minus_Toler	
Line Definition Bonus	
A if(@User03,fstr\$(Char_Number,'#####')," ")	
Width	•
Width.	
	OK Cancel
	.:

- 4. Now that we have made room in the Data area for the additional column, we need to do the same thing in the Header area.
- 5. Choose the **Header Line** tab then click on the "Characteristic Label" line in the **Line** area. On the right side of the screen change the **Width** to "1.95."

Table Contents				
Header Line 🖌 Data Line 🖌 Foot	ter Line	<ul> <li>Group Head</li> </ul>	ler	Group Footer
N 12 - E × X 12 16 ↑ ↓		[+] 🔶 Search P		· · <b>·</b>
✓ I Line Definition 1	Fixe	d Height	Not Defin	ad
A Char A "Characteristic Label"		ne Default	False	
		ayout	[H	orizontal Priority]
A "Nominal"	⊳			
A "USL" A "LSL"		op		
A "		Right Bottom		
A "Part 1" + Chr\$(13) + "Rec. " + ¤Part_01_Record_Nu		ified	No	
		Spacing	0.0 pt	
A "Part 3" + Chr\$(13) + "Rec. " + #Part_03_Record_Nu		ical Alignment	Тор	
— A "Part 4" + Chr\$(13) + "Rec. " + ¤Part_04_Record_Nu — A "Part 5" + Chr\$(13) + "Rec. " + ¤Part_05_Record_Nu	Wie	th	1.95	<u>√a</u>
A "				
A "Rej"				
				¥
	Width Width.			
	width.			
Q <b>L</b>			ОК	Cancel

 Next, use the Ctrl key to click and highlight the ""Part 1" + Chr\$(13)..." through ""Part 5" + Chr\$(13)..." in the Line area and set the Width for all 5 lines to "0.75."

		der Group Footer	
🔉 🛍 🕶 📰 🗙 🗶 🛍 🖷 🔶 🔸	🔡 🛃 [+] 🌟 Search I	Properties	6
🗸 📹 Line Definition 1	Fixed Height	Not Defined	,
A "Char"	▲ Frame	***	
A "Characteristic Label"	Default	False	
A ""	Layout	[Horizontal Priority]	
A "Nominal"	▷ Left	***	
A "USL"	⊳ Тор		
A "LSL"	⊳ Right		
	▷ Bottom		
A "Part 1" + Chr\$(13) + "Rec. " + ¤Part_01_Record_N A "Part 2" + Chr\$(13) + "Rec. " + ¤Part_02_Record_N	Justified	No	
A         Part 2         Chr3(13) +         Rec.         + #Part_02_Record_N           A         "Part 3" + Chr\$(13) +         "Rec." + #Part_03_Record_N	Line spacing	0.0 pt	
A "Part 4" + Chr\$(13) + "Rec. " + #Part_04_Record_N	Vertical Alignment	Тор	_
A "Part 5" + Chr\$(13) + "Rec. " + #Part_05_Record_N	Width	0.75	√ά
A "Rej"			
			- 1
4 III >>	Width		
	Width.		

7. Click the **OK** button, to save these changes.

#### Adding a Column for Part 6

- 1. Double click on the table so that the **Table Contents** window will appear again.
- 2. Choose the Data Line tab, highlight the "if(Used\_Part\_05..." line, then click the Copy line to Clipboard button followed by the Insert line(s) from Clipboard button. This was done so that you can easily get the same exact information in the Part 6 column without having to type in all of these commands.

Table Contents				
🖌 Header Line 🖌 🖌 Data Line	✓ Footer	r Line 🖌 🖌 Group He	ader Group Foote	r
s 🗈 🕶 📰 🗙 🔏 🛅 👘	↑ ¥	🗄 🛃 [+] 📩 Search	Properties	· • 0
👻 💼 Line Definition 1		Fixed Height	Not Defined	^
A if(@User03," ",fstr\$(Char_Numbe	r,'#####'))	▲ Frame		
A if(StrPos(Char_Label,"?")=-1,Char	Label,Left\$(C	Default	False	
A ""	_	Layout	[Horizontal Price	ority]
A if(Upper\$(Char_Source)="P/F"," "		Left		
A if(Upper\$(Char_Source)="P/F"," "		⊳ Тор		
if(Upper\$(Char_Source)="P/F"," "	,Cond(Minus_	▷ Right		
		Bottom		
A If(Part_01_Used, # if(Part_01_Exclu		Justified	No	
If(Part_02_Used, ¤ if(Part_02_Exclu A) If(Part_03_Used, ¤ if(Part_03_Exclu		Line Spacing	0.0 pt	
A If(Part_05_0sed, # If(Part_05_exclu		Vertical Alignment	Тор	
A If(Part_05_Used,¤ if(Part_05_Exclu		Width	0.750 in	
A ""				
A Cond(Plus_Tolerance_Missing An	d Minus Toler			
✓ ■ Line Definition Bonus				
A if(@User03,fstr\$(Char_Number,'#	####')," ") 🚽			
	+	Width		
		Width.		
য় 📑			OK	Cancel

3. You now have 2 "if(Used\_Part\_05..." lines showing in the **Table Contents** window. Click on the bottom instance of that line and click the **Edit line** button.

🔊 🖆 🗉 🗙 🗶 🛍 🖡	÷	🔠 🛃 [+] 🌟 Search P	roperties	• 0
	el,Left\$(C (Nomina = d(Plus_Tc d(Minus_ "', # if(U "',# if(U ''',# if(U ''',# if(U ''',# if(U ''',# if(U	Fixed Height  Fixed Height  Frame  Default Layout  Left  Top  Right  Bottom  Justified Line Spacing Vertical Alignment  Wridth  Width.	Not Defined False [Horizontal Pr No 0.0 pt Top 0.750 in	iority]

4. Now go through the entire block of commands in the bottom section of the Edit Table window, change all instances of "Part\_05" to "Part\_06", and click OK.

Edit Table			×
Data and Functions Condition Text Date Format	Number Format Operators Colors		
Search Variables/Fields	Functions:		**
> 🐨 Variables	Search Term or Function Name		-7
> - 🖬 Fields > - 📓 User variables	Mumerical functions     Mathematical functions     Date functions     String functions		
	Sing functions     Misc. functions     Garged to the functions		
		Insert	
If Part_06_Used, if Part_06_Excluded,"", if (UpperS(Char_Source)="P/F", if (Part_06_Value If (Minus_Tolerance_Missing, If (Plus Tolerance_Missing,	e=0, "FAIL", "PASS"),	<ul> <li>(Ω)</li> <li>(Ω)</li></ul>	
If Part_06 Value > (Nominal + Plus_Tolerance) If (Plus_Tolerance_Missing, If Part_06 Value < (Nominal + Minus_Tolerance)	e),"**",""),	1	ন্থ গ্≣
if ( <u>Part Of</u> Value > (Nominal + Plue Tolerance	))) or <mark>(Part A6)</mark> Value ( Nominal + Minue Tolerance )) "##" ""	<u>ک</u> ا	¢
	<u>O</u> K	Cance	el

#### **New Column Header**

- 1. In the **Table Contents** window, choose the **Header Line** tab.
- 2. Highlight the "Part 5..." line, then click the **Copy line to Clipboard** button followed by the **Insert line(s) from Clipboard** button.

Table Contents		×
✓ Header Line ✓ Data Line ✓ Foo	oter Line 🖌 Group Header Group Footer	
🔊 🛍 🕶 🖃 🗙 🖼 🛍 🌴 🔸	🔠 🛃 [+] 🗙 Search Properties 🥣 🗗	)
✓ 📕 Line Definition 1	Fixed Height Not Defined	^
A "Char"	⊿ Frame	
Characteristic Label	Default False	
	Layout [Horizontal Priority]	
A "Nominal"	▷ Left	
	⊳Тор	
	▷ Right	
A "" A "Part 1" + Chr\$(13) + "Rec. " + ¤Part_01_Record_Nu	Bottom	
A "Part 1" + Chrs(13) + "Rec." + #Part_01_Kecord_Nu	Justified	
A "Part 2" + Chr\$(13) + "Rec. " + #Part_02_Record_Nu	Line spacing 0.0 pt	
A "Part 4" + Chr\$(13) + "Rec." + #Part 04 Record Nu	Vertical Alignment lop	
A "Part 5" + Chr\$(13) + "Rec. " + Part 05 Record Nu	Width 0/50 m	
A ""		
A "Rej"		
		<b>~</b>
4 III +	Width	
	Width.	
		_
	OK Cancel	

3. You now have 2 "Part 5..." lines showing in the **Table Contents** window. Click on the bottom instance of that line and click the **Edit line** button.

Table Contents		×
✓ Header Line ✓ Data Line ✓ Foot	ter Line 🖌 Group He	ader Group Footer
🏃 🛍 🕶 📰 🗙 🔏 🖷 💼 🔹 🔸	🗄 👌 [+] 📩 Search	Properties 🔻 🐧
✓	Fixed Height	Not Defined
A "Char"	▲ Frame	
A "Characteristic Label"	Default	False
— <u>A</u> ""	Layout	[Horizontal Priority]
A "Nominal"	▷ Left	
	⊳ Top	
	▷ Right	
A	Bottom	
▲ "Part 1" + Chr\$(13) + "Rec. " + ¤Part_01_Record_Nu	Justified	No
	Line Spacing	0.0 pt
A "Part 3" + Chr\$(13) + "Rec. " + ¤Part_03_Record_Nu A "Part 4" + Chr\$(13) + "Rec. " + ¤Part_04_Record_Nu	Vertical Alignment	Тор
$\overline{A}$ "Part 4" + ChrS(13) + "Rec." + $\mu$ Part 05 Record Nu	Width	0.75 va
A "Part 5" + ChrS(13) + "Rec." + #Part_05_Record_NL		
A "		
A "Rej"		
4	Width	•
	Width.	
?		OK Cancel

4. Now go through the entire block of commands in the bottom section of the **Edit Table** window, change all instances of "Part\_05" to "Part\_06", and click **OK**.

Edit Table		
Data and Functions Condition Text	Date Format Number Format Operators Colors	
Search Variables/Fields	Functions:	
> 🤕 Variables > 🧃 Project variables	Search Term or Function Name	7
<ul> <li>Fields</li> <li>User variables</li> </ul>	Image: Second Seco	
	<ul> <li>- If String functions</li> <li>Froject and print dependent functions</li> <li>If Misc. functions</li> <li>If Aggregate functions</li> </ul>	
"Part 6" + <b>Chr\$</b> (13) + "Rec. " +		insert
Part_06_Record_Number		Σ <sub>Σ</sub> 💦
		L L
		<u>≣ر ≣</u> :
		<u>ال</u> ال
Part 6 Rec. N/A		

#### **Final Steps**

- 1. Click **OK** on the **Table Contents** screen and save your changes (**File > Save**).
- 2. Exit from the Report Designer. You will see a question asking if you changed the number of parts in your report. Choose **Yes** on this message.

Number o	of Parts	$\times$
?	Did you change the number of parts in the table of your report?	
	<u>Yes</u> <u>N</u> o	

3. The next window that appears will be asking for the total number of parts now represented in this report. Answer this question with "6" for your report to run correctly in the future.

Number of Parts	×
Please enter the number of parts in the table of your report.	OK Cancel
6	

4. Now run your report and you should have a 6<sup>th</sup> column of parts.