The Stat Summary report that comes with QC-CALC only displays columns for some statistical values, but there are times you want to see the average value for some of those columns. These directions will show you how to calculate and display the averages for the Average, Range, and Cpk columns.

The Report Designer

The directions shown here will add a Footer to the report and display some averages in that footer. This is a lengthy process, but relatively simple to accomplish.

1. From QC-CALC Real-Time choose the Report > Design Template menu.



2. Choose the StatSum.STT template from the list of files that appears and click **Open**. The Report Designer now appears on the screen.



Footer Lines

3. Double-click on the table and the Table Contents window will appear.

Ti	able Contents								×
~	Header Line	~	Data Line	~	Footer Line	~	Group Header	Group Footer	
	× 📴 + 💣	×	* 🗈	63	1 I	₽ 2↓	[+]	0	
						Desig	n		
	- Cine Defini	ition I				Displa	iy in Designer	Show	
	A					Name		Line Definition 1	
						🛛 Appe	arance		
						⊞ Defau	lt Font	[Arial 10.0 pt	1
						🗆 Layou	rt		
						Appe	arance Condition	Always Show	
						Ignor	e Empty Line	Yes	
							ne Level	0	
						⊞ Spaci	ng	[0.000, 0.000, 0.000, 0.000 in]
						Design			
?	8							OK Cancel	

4. On the **Footer Line** tab, choose the **Append line definition** button that is circled in the picture above. On the next screen that appears, choose the "Line Definition 1" item from the "Data Line" area then click **OK**. This will make a copy of the Data Line and put it into the Footer area, which gives you the exact column widths to match the columns above.

Choose a Table Line Definition		×
The row you are trying to edit is empty. Please choose whether you wa definition of another row or start the field selection wizard.	ant to use the	
Empty line definition Start field selection wizard Choose existing line definition Header Line Line Definition 1 Line Definition 1 Choose Line Line Definition 1 Choose Line Line Definition 1 Choose Line Line Line Definition 1 Choose Line Line Line Line Line Line Line Lin		_
 → Line Definition 1 Group Header → Line Definition 1 (1) 		
С	Cancel	

5. On the Footer Line tab, you will now see 2 separate line definitions. One is a blank line and the other is the copy of the Data Line area. In the "Line Definition 1 (1)" area, double-click on each element EXCEPT the ones you wish to show the averages for, and replace the calculations shown with " " (quote-space-quote). The picture below shows that most items were replaced, but the "Average", "Range", and "Cpk" elements remain.

Header Line	 Data Line 	 Footer Line 	 Group Header 	Group Footer				
🏒 📑 🕶 👔	P 🗙 🔏 🗈	1 • •	₩ 2↓ [+]		0			
			Design		^			
🖃 🧰 Line Defi	nition 1	<u> </u>	Name		-			
A **			🗆 Data		1			
😑 🧰 Line Defi	nition 1 (1)		(Contents)					
			Options					
			Appearance					
			Background	Transparent				
		=	Export as Picture No					
A if(Up	ner\$(DimensionSource)-"D/F" " " EStr	Font [Arial 8.0 pt					
A if(Up	perS(DimensionSource)="P/F""" FStr	Format	None				
A		,	Rotation	0°				
A III			Text Format	Normal Text				
A ""			Action					
··· \Lambda • •			Link URL					
A 0.0			Layout					
- A if(Up	per\$(DimensionSource)="P/F" .or. Tol		Right				
A			Appearance Condition	Always Show	~			
		*	vesign					

6. Click OK in the Table Contents window and save your changes (File > Save).

@Sum Variables

7. The next thing that is needed is to create the @Sum variables that will be used to add together all of the items for each column. Go to the **Project > Sum Variables** menu and click the **Insert a new variable** button in the upper right corner.

<u>Available su</u>	ım variables:			X
Page sum	Name	Sums over		
	@SumCpk			
<				>
<				> Edit
٢				> <u>E</u> dit

8. In the **Create New Variable** window that appears, enter a name that describes the contents of this variable. In this example, the Cpk column will be added up, so the "SumCpk" name is used.

9. Next, click the Edit button so the calculation can be entered. In the Edit Sum Variable (@SumCpk) window that appears, choose "Cpk" from the "Fields" area in the Variables and Functions tab, then click the Insert button so it appears in the box at the bottom of the screen.



- Click OK to return to the Edit Sum Variables screen and follow steps 5 7 to create the "SumRange" (use the "Range" Field) and "SumAverage" (use the "Mean" Field) variables.
- 11. The last thing to do in this area is to create another @Sum variable that will count the total number of rows (Characteristics) in the report. This will be divided into the other @Sum variables in order to get the Average of the Averages, Ranges, and Cpks.
- 12. Click the **Insert a new variable** button and enter "TotalCharacteristics" as the name.
- 13. Click the **Edit** button and enter a 1 in the bottom box (where the "Cpk" has the arrow pointing at it in the picture above).
- 14. When all variables are added (see the picture below), click **OK** and save the changes to the template.

les		~	*`	×	Ж	Ē	P
Vame	Sums over						
@SumAvg	mean	01010101010101010101010					
@SumCpk @SumRange @TotalCharacteristics	Cpk range 1						
	es lame <u>@SumAvg</u> @SumCpk @SumRange @TotalCharacteristics	es Jame Sums over <u>@SumAvg mean</u> @SumCpk Cpk @SumRange range @TotalCharacteristics 1	es Villame Sums over SumAvg mean SumCpk Cpk SumRange range SumCharacteristics 1	es Villame Sums over SumAvg mean SumCpk Cpk SumRange range SumCharacteristics 1	es View Sums over SumAvg mean SumAvg Cpk SumRange range StotalCharacteristics 1	es Villame Sums over SumAvg mean SumCpk Cpk SumRange range SumCalCharacteristics 1	es Sums over SumAvg mean QSumCpk Cpk QSumRange range QTotalCharacteristics 1

Footer Lines

- 15. Now that the variables that contain the sum of the columns exist, those values need to be displayed in the Footer area of the table.
- 16. Double-click on the table to bring up the Table Contents window again.
- 17. Go to the **Footer Line** tab and double-click on the item that corresponds to the Average column. That value should look like this (before any changes):

```
if (Upper$ (Char Source) = "P/F", " ", FStr$ (Mean, "---&."+Rep$ ("#", Precision)))
```

18. Delete anything that is shown in red above (don't forget the end parenthesis too) so you are left with:

```
FStr$(Mean, "---&."+Rep$("#", Precision))
```

19. Most of this line will remain as it is, but the "Mean" value is going to be changed to "@SumAverage/@TotalCharacteristics". Ignore the "ERROR" being reported at the bottom of the screen. The fact that the report wasn't actually processed is causing invalid values in the @Sum variables. This will work correctly when you run the report though. This should be the line when you're done:

```
FStr$(@SumAverage/@TotalCharacteristics,"---
&."+Rep$("#",Precision))
```

20. Do the same basic step for the Range and Cpk lines. The lines should end up like this:

```
FStr$(@SumRange/@TotalCharacteristics,"---&."+Rep$("#",Precision))
FStr$(@SumCpk/@TotalCharacteristics,"--&.##")
```

- 21. Double-click on the 2nd item in the Line Definition we have been dealing with (this corresponds to the "Characteristic Label" column) and change the ""to "Averages" or whatever you would like to use to describe the values displayed in this footer.
- 22. There is one last thing to do: On the **Footer Line** tab, choose the **Append line definition** button again. On the next screen that appears, choose the "Line Definition 1" item from the "Footer Line" area, then click **OK**.

Choose a Table Line Definition	×
The row you are trying to edit is empty. Please choose whether you want to use the definition of another row or start the field selection wizard.	
 Empty line definition Start field selection wizard Choose existing line definition Header Line Line Definition 1 Data Line Line Definition 1 Footer Line Line Definition 1 The Definition 1 Croup Header Line Definition 1 (1) 	
(?) OK Cancel	



23. This will make a copy of the blank gray line that is already in the footer area, but both lines will currently appear before the Average line. To fix that, click on the "Line Definition 1 (2)" line that was just created, then click the down arrow button right below the **Footer Line** tab.

• • - E	~	V Re				
 Line Definitio Line Definitio Line Definitio Line Definitio A ** 	n 1 (2) n 1 (2) s" umAvers umRan	@TotalCharacte	acteristics cteristics,"	"&."+Re &."+Rep	Design Name Show in Designer Appearance Default Font Layout Anchor to Line Appearance Condition Index Level Line Group Index Spacing Table of Contents Level	Line Definition 1 (2) Show [Arial, 10.0 pt] 0 Always Show 0 0 [0.000, 0.000, 0.000, 0.000 in] 0
					Design	

- 24. Click the **OK** button on **Table Contents** window and save your changes to the template.
- 25. When you run your report, you will now a new footer row that shows the average values that you wanted.

Prolink				Statist	tic Su	March 28, 201 6:04:45 Pt							
Prolin	k							S	tart Date:		March 26,	2019 11	04:33 AM
AutoFa	actorTesting.Qcc			Cav List Serial Numl	ber	1 145		E	nd Date: ange of F	ecords:	March 26, 2 - 19	2019 11:	41:35 AM
Num. o Num. o	fFeatures 5 fParts 18												
Subgro	up Size 1												
Cavity Operat	or Laura	3											
Dim	Dimension Label	Nom	+ Tol \ -Tol	Average	Range	Max	Min	Sigma	Ср	Cpk	Sigma R	CpR	Cpk R
1	Feature 1	1.5000	0.0100 \ -0.0100	1.5015	0.0121	1.5080	1.4959	0.003389	0.98	0.83	0.003780	0.88	0.75
2	Feature 2	2.5000	0.0100 \ -0.0100	2.5006	0.0091	2.5051	2.4959	0.002716	1.23	1.16	0.003179	1.05	0.99
3	Feature 3	3.5000	0.0100 \ -0.0100	3.5005	0.0133	3.5069	3.4936	0.004274	0.78	0.74	0.005323	0.63	0.60
4	Feature 4	4.5000	0.0100 \ -0.0100	4.4982	0.0144	4.5048	4.4904	0.004221	0.79	0.65	0.004228	0.79	0.65
-	Feature o	0.0000	0.01001-0.0100	0.0004	0.0155	0.0072	0.4555	0.004108	0.80	0.77	0.004434	0.74	0.71
	Averages			3.5003	0.0128					0.83			